BID SOLICITATION NOTICE

TO RECEIVE A BID PACKAGE, BIDDER MAY EITHER DOWNLOAD THE BID FROM THE AUTHORITY'S WEBSITE AT http://www.state.nj.us/turnpike/purchasing.html OR REQUEST A BID BY COMPLETING THIS FORM AND FAXING IT TO THE NUMBER STATED BELOW FOR RECORD KEEPING PURPOSES. WE REQUEST THAT THE BIDDER COMPLETE THIS FORM AND RETURN TO US, EVEN WHEN BIDDER IS DOWNLOADING THE BID. THIS IS THE ONLY NOTICE OF BIDDING FOR THE FOLLOWING GOODS / SERVICES YOU WILL RECEIVE.

THE NEW JERSEY TURNPIKE AUTHORITY

PROCUREMENT AND MATERIALS MANAGEMENT DEPARTMENT

New Jersey Turnpike Administrative Offices

P.O. Box 5042 581 Main Street Woodbridge, New Jersey 07095-5042 Tel. - 732-750-5300 Fax - 732-750-5399

INVITATION TO BID

TITLE: GUIDERAIL AND PARTS

BID NO: R-94568 and R-94601

DUE DATE: August 29, 2012

TIME: 2:00 PM

SUBMIT BIDS BEFORE THE DUE DATE AND TIME TO THE ABOVE ADDRESS

BIDDER INFORMATION (PLEASE PRINT)

NAME OF BIDDING ENTITY	
ADDRESS	
CITY, STATE AND ZIP CODE	
E-MAIL ADDRESS	
REPRESENTATIVE TO CONTACT-NAME & TITLE	TELEPHONE NO.
FEDERAL TAX I.D. NO. or TAXPAYER I.D. NO.	FAX NO

☐ WE HAVE DOWNLOADED THE BID FROM THE AUTHORITY WEBSITE

THE NEW JERSEY TURNPIKE AUTHORITY

PROCUREMENT AND MATERIALS MANAGEMENT DEPARTMENT

New Jersey Turnpike Administrative Offices

P.O. Box 5042 581 Main Street Woodbridge, New Jersey 07095-5042 Tel. - 732-750-5300 Fax - 732-750-5399

INVITATION TO BID

TITLE: GUIDERAIL AND PARTS

BID NO: <u>R-94568 and R-94601</u>

DUE DATE: <u>August 29, 2012</u>

TIME: <u>2:00 PM</u>

SUBMIT BIDS BEFORE THE DUE DATE AND TIME TO THE ABOVE ADDRESS

BIDDER INFORMATION (TO BE COMPLETED BY THE BIDDER)

Please Print

NAME OF BIDDING ENTITY	
ADDRESS	
ADDRESS	
CITY, STATE AND ZIP CODE	
E MAN ADDRESS	
E-MAIL ADDRESS	
REPRESENTATIVE TO CONTACT-NAME & TITLE	TELEPHONE NO.
FEDERAL TAX I.D. NO. or TAXPAYER I.D. NO.	FAX NO.
BUSINESS CORPORATIONPARTNERSHIP_	INDIVIDUAL
OTHER (SPECIFY):	

BIDDER GUIDELINES/CHECKLIST

PURSUANT TO N.J.S.A. 27:23-6.1 AND N.J.A.C. 19:9-2.1 et seq. BID PROPOSALS WHICH FAIL TO CONFORM TO THE FOLLOWING REQUIREMENTS MAY BE REJECTED:

- 1. Bid proposals must be received at or before the public opening time stated on the cover page at the following place: New Jersey Turnpike Authority, Administration Building, 581 Main Street, Woodbridge, New Jersey 07095. Telephone or Facsimile proposals will not be accepted. The accompanying self-addressed envelope should contain or be attached to the bid proposal.
- 2. The bid proposal must include all price information. Proposal prices shall include delivery of all items F.O.B. destination or as otherwise provided. Price quotes must be firm through issuance of contract.
- 3. All bid proposal prices must be typed or written in ink. Quote the specified unit of measure. If bidding an alternate, provide detailed specifications.
- 4. All corrections, white-outs, erasures, re-striking of type, or other forms of alteration or the appearance of alteration, to unit and/or total prices must be initialed in ink by the bidder.
- 5. The bidder must attend the mandatory site inspection at the following date(s) and time(s) if applicable:
- 6. See the Authority's Instructions to Bidders for a complete list of the Authority's standard contract Terms and Conditions, as well as REQUIRED FORMS that must be included with the bid or the bid will be rejected. (SEE ATTACHED)

Have you included the following documents?

- (a) State of New Jersey Division of Revenue Business Registration Certificate(s)
- (b) Certification of Registration with the Secretary of State (only if a foreign (non-NJ) corporation)
- (c) Acknowledgement of Requirement for Disclosure of Political Contributions
- (d) Public Works Contractor Registration Certificate(s) (if applicable)
- (e) Affirmative Action Information Sheet with Certificate or Form AA302
- (f) Signed Mandatory Equal Employment Opportunity Language
- (g) SBE/WBE/MBE Certificates and Form
- (h) Vendor Disclosure Form (EO129 Location of Services)
- (i) Notice of Set-Off for State Tax (P.L. 1999, c.159)
- (j) Automobile Waiver
- (k) Insurance Requirement
- 7. This Request for Bids requires the following Mandatory Documents or the bid will be rejected:

Bid Bond and/or Letter of Surety, Cashier's Check Requirement Stockholder/Partnership Disclosure Statement

- 8. Bidder must sign the Bid
- 9. If awarded, a Contract Bond, for 100% of the Total Bid Price.

REQUEST FOR BIDS THIS IS NOT AN ORDER

Sealed Bids for RM-94568 and RM-94601 will be received at the New Jersey Turnpike Authority Administrative Offices, 581 Main St., Woodbridge, New Jersey, as stated on the cover page at which time and place said proposal will be publicly opened and read. Bidders mailing Bids should allow for their normal mail delivery time to ensure timely receipt of their Public Bids. Please be advised that using overnight / next-day delivery service does not guarantee overnight/next-day deliveries to our location. The Authority will not be responsible for any bid not being received by the required date and time.

INTENTION

It is the intention of the Authority to issue a Price Agreement for the purchase of <u>GUIDERAIL AND PARTS</u> <u>AS PER THE ATTACHED SPECIFICATIONS</u>. Items purchased under this Agreement will be delivered as directed by the Authority. The term of the contract shall be for one year with the option to extend for two additional one-year terms at the Authority's discretion and Vendor's concurrence. Please contact Richard Bava with any questions regarding this procurement/contract at 732-750-5300 X-8636.

BID SHEET INSTRUCTIONS

Prospective Bidders should follow all instructions in this Request for Bids and in the standard Instructions to Bidders issued by the Authority, and any other documents issued by the Authority in connection with this Request for Bids (collectively, "Bid Documents"). Prospective Bidders must examine the Bid Documents carefully before bidding and must ask the Director of Purchasing in writing for any interpretation or correction of any apparent ambiguity, inconsistency or apparent error therein. Any written request for interpretation or correction shall be directed to the Director of Purchasing. Written requests can be submitted by FAX at 732-750-5399. If necessary, an interpretation or correction shall be issued by the Director of Purchasing as an Addendum and FAXED to prospective Bidders who have obtained the Bid Documents. Upon the issuing of an Addendum, the content of the Addendum shall become part of the Bid Documents. Requests for interpretation or correction shall be considered only if received at least 5 business days prior to the bid opening date.

Only written interpretations or corrections issued by the Director of Purchasing by Addendum shall be binding.

The submission of the Bid is conclusive evidence that the Bidder is fully aware of the conditions, requirements, and details as stated in the Bid Documents. If the Bidder, prior to submitting its Bid, fails to notify the Director of Purchasing of the existence of an ambiguity, inconsistency in the Bid Documents, a Bid will conclusively be presumed to have been based upon the interpretation of such ambiguity or inconsistency.

All erasures, interpolations or other physical changes on the Bid form shall be signed or initialed by the bidder. Bids containing any conditions, omissions, erasures, alterations, or items not called for in this Request for Bids, or irregularities of any kind, may be rejected by the Authority, in its sole discretion, as being incomplete. The bidders shall not attach conditions, limitations or provisos to their Bid, except in cases where "Exceptions" are permitted.

The Authority will accept Approved Equivalent items on this bid. If a bidder is basing the proposal on items other than what is specified, and wishes the items he proposes to be considered as an "Approved Equivalent," the Bidder shall enter a price on the bid sheet then submit on the Exception Sheet in the exact format of the line item on the Request for Bids contained herein, the item number, an item description, including manufacturers name, model number, and packaging quantities of those Items which the Bidder proposes to substitute.

Bidders may bid Northern Division locations (A), the Southern Division locations (B), or both. Bidders must supply a price for every item listed per area or their bid may be rejected. Bid(s) will be awarded to the vendor who supplies the lowest total cost for each area as listed in the bid.

Bidders must quote only one price <u>per line item</u>. <u>If a bidder quotes multiple prices per line item, the bid proposal may be rejected.</u>

The Authority will purchase amounts of any given item as needed, at the sole discretion of the Authority and shall not be bound by any quantities listed. The Authority reserves the right to make reasonable increases to line item quantities. All items are to be bid FOB Destination. All shipping, handling, and other costs should be considered in the bid price.

SECTION 915 - BEAM GUIDE RAIL 2004 SUPPLEMENTARY SPECIFICATIONS

915.01 RAIL ELEMENT

Rail elements shall be 12 gauge steel.

For galvanized beam guide rail, fabricate the rail element, including rounded end sections and buffer end sections, according to AASHTO M 180, Class A, Type I in Table 2. Ensure that the weight of the zinc coating conforms to AASHTO M 180, Type I in Table 1.

For weathering steel beam guide rail, fabricate the rail element, including rounded end sections and buffer end sections, shall be high strength, low-alloy weathering steel conforming to the requirements of ASTM A 709, Grade 50W and AASHTO M 180, Type IV, Class A.

915.02 POSTS AND RECYCLED/SYNTHETIC BLOCKOUTS

For galvanized steel posts, use structural steel conforming to ASTM A 709, Grade 36, that is galvanized according to ASTM A 123.

For weathering steel posts shall be fabricated of high strength, low-alloy structural, weathering steel conforming to the requirements of current ASTM A 709, Grade 50W. The bottom 4'-2" of the six (6) foot guide rail posts and bottom 6'-2" of the eight (8) foot guide rail posts shall be galvanized in accordance with AASHTO M 111.

Timber posts for end terminals shall conform to Subsection 910.05.

Use recycled/synthetic routed blockouts that are NCHRP 350 tested, test level 3 (TL-3), approved. Ensure that the name of the manufacturer and model number are stamped on each blockout and that the blockouts are of the same material and dimensions as the spacers that were NCHRP tested.

915.03 MISCELLANEOUS HARDWARE

For galvanized beam guide rail, ensure that connections or splices, nuts, bolts, washers, and plates conform to AASHTO M 180, except as follows:

- 1. If high-strength bolts are shown on the Plans for bridge guide rail, use high-strength bolts, nuts, and washers conforming to ASTM A 325, Type I, and galvanized according to ASTM A 153.
- 2. For base plate assemblies on bridge guide rail, use an adhesive anchor system with galvanized bolts as specified in 909.02(F) or galvanized anchor bolts, nuts, and washers as specified in 909.02(E).
- 3. Use plates for beam guide rail on bridges conforming to ASTM A 36 and galvanized according to ASTM A 123.

For weathering steel beam guide rail, ensure that connections or splices, nuts, bolts, washers, and plates conform to AASHTO M 180, except as follows:

- 1. Nuts for beam guide rail end treatment shall conform to ASTM A 563, Grade A.
- 2. Plates and rods for guide rail end treatment shall be structural steel conforming to ASTM A 36 and galvanized according to AASHTO M 111.
- 3. Bolts, nuts, and washers for bridge guide rail, excluding base plate anchor bolts, shall conform to or exceed the requirements of ASTM A 307 unless otherwise designated as high-strength on the Plans. High-strength bolts, nuts, and washers shall conform to AASHTO M 164, Type I (ASTM A/325/ 325M, Type I) or ASTM A 449/A 449M. Anchor bolts, nuts, and washers for base plate assemblies on bridge guide rail shall conform to or exceed the requirements of AASHTO M 164, Type I (ASTM A/325/ 325M, Type I). Structural steel plates for guide rail on bridges shall conform to AASHTO M 183/M 183M (ASTM A/36/ A36M).
- Bolts and nuts may be mechanically galvanized according to AASHTO M 298, Class 50, Type
 1.

915.04 SAMPLING AND TESTING

Samples and rate of sampling taken by the Engineer will be in accordance with AASHTO M180.

915.05 RUB RAIL

For galvanized beam guide rail, rub rail shall be steel channels or bent plate of structural steel conforming to ASTM A 36 and galvanized according to ASTM A 123.

For weathering steel beam guide rail, rub rail shall be steel channels or bent plate fabricated of high strength, low-alloy weathering structural steel conforming to the requirements of current ASTM A 709, Grade 50W.

BID SOLICITATION NOTICE REQUEST FOR BIDS MATERIAL AND SERVICE DESCRIPTION LOCATION: (A)

NEW JERSEY TURNPIKE NORTHERN DIVISION 14 PORT STREET NEWARK, NJ 07114

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			W-BEAM –GUARDRAIL, ST R.,12GA,		
			(TRINITY 73PG2) MFG.TRINITY		
			NJ TURNPIKE INVENTORY # 134707		
1	3000	Each	OR APPROVED EQUIVALENT	\$	\$
			SPACER-BLOCK, COMPOSITE, 4 ½" X 7"X		
			14", OFFSET BRACKET W/PROTRUSION AT		
			TOP F/HANGING BLOCK ON POST DURING		
			INSTALLATION MFG. COLLINSO		
			NJ TURNPIKE INVENTORY # 106856		
2	3000	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLTS-SPLICE, 5/8" X 1 1/4" W/NUT F/RA		
			MFG.TRINITY		
			NJ TURNPIKE INVENTORY # 107684		
3	30,000	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-SHEAR, 5/8" X 1 3/4" #3395-G		
			NJ TURNPIKE INVENTORY # 132194		
4	500	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT, GR 5/8 X 25" CAT MFG. CAT		
			NJ TURNPIKE INVENTORY # 131412		
5	500	Each	OR APPROVED EQUIVALENT	\$	\$
			END SHOE, THRIE BEAM, 10 GA.		
			(SPEC:975B)		
6	36	Each	NJ TURNPIKE INVENTORY # 134169	\$	\$
			OR APPROVED EQUIVALENT		
			POST, THRIE BEAM, 6FT 8IN/ W6 X8.5#		
			(SPEC:14166G)		
			NJ TURNPIKE INVENTORY # 134165		
7	36	Each	OR APPROVED EQUIVALENT	\$	\$
			POST, THRIE BEAM, 7FT-2IN / W6 X 8.5#		
			(SPEC: 14165G)		
			NJ TURNPIKE INVENTORY # 134164		_
8	150	Each	OR APPROVED EQUIVALENT	\$	\$

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			BEAM-THRIE, GUARDRAIL TRINITY 12'6"		
			12GA (TRINITY 1PG2)		
			NJ TURNPIKE INVENTORY # 134706		
9	200	Each	OR APPROVED EQUIVALENT	\$	\$
			RAIL, TRANS THRIE BEAM TO W BEAM		
			6'3"/3'1.5 F/THP NJ TURNPIKE INVENTORY #		
10	36	Each	132144 OR APPROVED EQUIVALENT	\$	\$
			BLOCK, TAPERED, THRIEBEAM, 1FT 5-3/4IN		
			(SPEC: 9468G)		
			NJ TURNPIKE INVENTORY # 134166		
11	150	Each	OR APPROVED EQUIVALENT	\$	\$
			BLOCK, TAPERED, THRIE BEAM,1FT1-7/8 IN		
			(SPEC: 9469G)		
			NJ TURNPIKE INVENTORY # 134167		
12	24	Each	OR APPROVED EQUIVALENT	\$	\$
			PLATE-BACK,THRIE BEAM, FOR TERMINAL		
			CONNECTOR NJ TURNPIKE INVENTORY #		
13	36	Each	134722 OR APPROVED EQUIVALENT	\$	\$
			BOLT, THROUGH W/NUT & WASHER		
			7/8 IN X 24 IN, NJ TURNPIKE INVENTORY		
14	54	Each	# 134723 OR APPROVED EQUIVALENT	\$	\$
			EPOXY /POLYESTER RESIN, MFG. TRINITY		
			NJ TURNPIKE INVENTORY # 134720		
15	10	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-7/8X5, HIGH STRENGTH HEX BOLT		
			W/WASHER MFG. TRINITY NJ TURNPIKE		
16	126	Each	INVENTORY # 134724	\$	\$
			OR APPROVED EQUIVALENT		
			RUB RAIL-BENT PLATE		
			13FT 1 IN X 6 IN X 3 IN 10 GAUGE		
			NJ TURNPIKE INVENTORY # 134715		
17	200	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-CARR. , 5/8 X 4.5, 1.5 IN MINIMUM		
			THREAD W/NUT & WASHER		
			NJ TURNPIKE INVENTORY # 134727		
18	300	Each	OR APPROVED EQUIVALENT	\$	\$
			POST – GUARDRAIL, PUNCHED FOR RUB		
			RAIL 6FT X 6 IN X 8.5 IN		
			NJ TURNPIKE INVENTORY # 134718		
19	400	Each	OR APPROVED EQUIVALENT	\$	\$
			END TREATMENT-COMP. SYSTEM, 12 GA.		
			ET PLUS (TRINITY 30ETSXT378) MFG.		
			TRINITY NJ TURNPIKE INVENTORY # 134708		
20	10	Each	OR APPROVED EQUIVALENT	\$	\$

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			SHEETING, REFLECTIVE - ET PLUS MFG.		
			TRINITY PART # PN-6668B		
			NJ TURNPIKE INVENTORY # 134716		
21	20	Each	OR APPROVED EQUIVALENT	\$	\$
			EXTRUDER HEAD-GUARDRAIL, ET PLUS		
			MFG TRINITY PART # 995A NJ TURNPIKE		
22	5	Each	INVENTORY # 134710	\$	\$
			OR APPROVED EQUIVALENT		
			PANEL-W BEAM, 12GA, 12FT 6 IN ET PLUS		
			(PANEL #1) MFG.TRINITY PART # 32G		
22	_	F 1	NJ TURNPIKE INVENTORY # 134709	ф	ф
23	5	Each	OR APPROVED EQUIVALENT	\$	\$
			BRACKET-CABLE ANCHOR, ET PLUS MFG.		
2.4	_	F 1	TRINITY PART # 704A NJ TURNPIKE	ф	ф
24	5	Each	INVENTORY # 134714	\$	\$
			OR APPROVED EQUIVALENT		
			PLATE- BEARING, ET PLUS MFG. TRINITY		
			PART # 782G NJ TURNPIKE INVENTORY #		
25	5	Each	134721 OR APPROVED EQUIVALENT	\$	\$
23	3	Lacii	CABLE- 3/4 X 6' 6" GUARDRAIL ET PLUS	Ψ	Ψ
			MFG. TRINITY PART # 3000G		
			NJ TURNPIKE INVENTORY # 134719		
26	5	Each	OR APPROVED EQUIVALENT	\$	\$
20		Lacii	POST-GUARDRAIL, 6FT X 6 IN X 8.5 IN SYT	Ψ	Ψ
			ET PLUS MFG. TRINITY PART #14578G		
			NJ TURNPIKE INVENTORY # 134717		
27	35	Each	OR APPROVED EQUIVALENT	\$	\$
			ET HBA, P1, TOP., 2' 8-3/4" ET PLUS		T
			MFG. TRINITY PART # 33871A		
			NJ TURNPIKE INVENTORY # 134712		
28	5	Each	OR APPROVED EQUIVALENT	\$	\$
			ET HBA,P1, BOTTOM, 6' 1-1/2" ET PLUS		
			MFG. TRINITY PART # 33873A		
			NJ TURNPIKE INVENTORY # 134711		
29	5	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-SPLICE, 5/8 IN X 1.25 IN, ET PLUS		
			MFG. TRINITY PART # 3360G		
			NJ TURNPIKE INVENTORY # 134726		
30	165	Each	OR APPROVED EQUIVALENT	\$	\$

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.	WAGNED DND 2/4 DI EE DI LIG CHADDDAH		AMOUNT
			WASHER,RND-3/4 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 3701G NJ TURNPIKE INVENTORY # 134737		
31	10	Each	OR APPROVED EQUIVALENT	\$	\$
31	10	Lacii	NUT,HEX-3/4 IN, ET PLUS GUARDRAIL	Ψ	Ψ
			MFG. TRINITY PART # 3704G		
			NJ TURNPIKE INVENTORY # 134733		
32	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER,RND-1 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 3900G		
			NJ TURNPIKE INVENTORY # 134736		
33	10	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT, HEX-1 IN ET PLUS GUARDRAIL		
			MFG. TRINITY PART #3910G		
2.4	10		NJ TURNPIKE INVENTORY # 134732		
34	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, RND-3/8 IN, ET PLUS GUARDRAIL		
			MFG.TRINITY PART #4252G NJ TURNPIKE INVENTORY # 134740		
35	20	Each	OR APPROVED EQUIVALENT	\$	\$
33	20	Lacii	WASHER, FENDER-3/8 IN, ET PLUS	Ψ	Ψ
			GUARDRAIL MFG. TRINITY PART # 4255G		
			NJ TURNPIKE INVENTORY # 134741		
36	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, LOCK-3/8 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 4258G		
			NJ TURNPIKE INVENTORY # 134742		
37	10	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-HEX,3/8 IN X 1.5 IN, ET PLUS MFG.		
20	10	Б 1	TRINITY PART # 4261G	Φ.	Φ.
38	10	Each	NJ TURNPIKE INVENTORY # 134730	\$	\$
			OR APPROVED EQUIVALENT WASHER,RND-7/16 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 4389G		
			NJ TURNPIKE INVENTORY # 134739		
39	10	Each	OR APPROVED EQUIVALENT	\$	\$
-			BOLT-HEX, 7/16 IN X 1.5 IN, ET PLUS MFG.		
			TRINITY PART # 4390G NJ TURNPIKE		
40	10	Each	INVENTORY # 134729	\$	\$
			OR APPROVED EQUIVALENT		
			WASHER, LOCK -7/16 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 4393G		
4.4	10		NJ TURNPIKE INVENTORY # 134743	Φ.	
41	10	Each	OR APPROVED EQUIVALENT	\$	\$

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
	,	OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			NUT, HEX-7/16 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 4396G		
			NJ TURNPIKE INVENTORY # 134734		
42	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, LOCK-3/4 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PARTS # 4699G		
			NJ TURNPIKE INVENTORY # 134744		
43	10	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-HEX, 3/8 IN X 2 IN, ET PLUS		
			MFG. TRINITY PART # 6321G		
			NJ TURNPIKE INVENTORY # 134731		
44	10	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT, HEX -3/8 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PARTS # 6405G		
			NJ TURNPIKE INVENTORY # 134735		
45	20	Each	OR APPROVED EQUIVALENT	\$	\$
			ANCHOR, STRUCTSYT 3 IN, 6FT 6 IN ET PLUS		
			MFG. TRINTY PART# 33795G		
			NJ TURNPIKE INVENTORY # 134713		
46	5	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT- POST, W/NUT AND WASHER, 5/8" X 10,		
			RAIL SRT-350,#3500-G		
			NJ TURNPIKE INVENTORY # 107179		
47	3,000	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT-HEX HEAD, 5/8 IN, GALVANIZED		
			NJ TURNPIKE INVENTORY # 107581		
48	3,000	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT-HEX HEAD INSERT, 5/8 IN, GALV		
			NJ TURNPIKE INVENTORY # 107640		
49	195	Each	OR APPROVED EQUIVALENT	\$	\$
			PLATE, 3/16 IN X 2IN X 10 IN MFG.CAT		
			NJ TURNPIKE INVENTORY # 131407		
50	500	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, RND – 5/8 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 3300G		
51	35	Each	NJ TURNPIKE INVENTORY # 134738	\$	\$
			OR APPROVED EQUIVALENT		
			BOLT- HEX, ¾ IN X 2.5 IN, ET PLUS		
			MFG. TRINITY PART # 3717G		
52	10	Each	NJ TURNPIKE INVENTORY # 134725	\$	\$
			OR APPROVED EQUIVALENT		

AREA "A" NORTHERN DIVISION TOTAL OF LINES 1 THROUGH 52 \$ _____

LOCATION: (B)

NEW JERSEY TURNPIKE SOUTHERN DIVISION 200 MT. LAUREL ROAD MT. LAUREL, NJ 08054

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			BOLTS-SPLICE, 5/8"x 1 1/4" W/NUT F/RA NJ		
1	30,000	Each	TURNPIKE INVENTORY # 107684		
			OR APPROVED EQUIVALENT	\$	\$
			END SHOE, THRIE BEAM, 10 GAUGE MFG.		
			TRINITY PART # 975B		
			NJ TURNPIKE INVENTORY # 134169		
2	36	Each	OR APPROVED EQUIVALENT	\$	\$
			POST, THRIE BEAM, 6 FT 8 IN W6 X 8.5#		
			(SPEC:) 14166G CHEMUNG SUPPLY		
			NJ TURNPIKE INVENTORY # 134165		
3	36	Each	OR APPROVED EQUIVALENT	\$	\$
			POST, THRIE BEAM, 7 FT-2 IN / W 6X 8.5#		
			(SPEC: 14165G) CHEMUNG SUPPLY		
			NJ TURNPIKE INVENTORY # 134164		
4	150	Each	OR APPROVED EQUIVALENT	\$	\$
			BEAM-THRIE, GUARDRAIL 12'6" 12 GA.		
			(TRINITY 1PG2) MFG. TRINITY		
			NJ TURNPIKE INVENTORY # 134706		
5	200	Each	OR APPROVED EQUIVALENT	\$	\$
			RAIL, TRANS THRIE BEAM TO W BEAM		
			6'3"/3'1.5 F/THP NJ TURNPIKE INVENTORY #		
6	36	Each	132144 OR APPROVED EQUIVALENT	\$	\$
			BLOCK, TAPERED, THRIE BEAM, 1 FT 5-3/4		
			IN(SPEC: 9468G)		
			NJ TURNPIKE INVENTORY # 134166		
7	150	Each	OR APPROVED EQUIVALENT	\$	\$
			BLOCK,TAPERED,THRIE BEAM, 1 FT 1 -7/8 IN		
			(SPEC: 9469G)		
			NJ TURNPIKE INVENTORY # 134167		
8	36	Each	OR APPROVED EQUIVALENT	\$	\$
			PLATE-BACK, THRIE BEAM FOR TERMINAL		
			CONNECTOR, MFG. TRINITY		
			NJ TURNPIKE INVENTORY # 134722		
9	36	Each	OR APPROVED EQUIVALENT	\$	\$

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			BOLT, THROUGH W/NUT & WASHER		
			7/8 IN X 24 IN, NJ TURNPIKE INVENTORY		
10	126	Each	# 134723 OR APPROVED EQUIVALENT	\$	\$
			EPOXY /POLYESTER RESIN, MFG. TRINITY		
			NJ TURNPIKE INVENTORY # 134720		
11	10	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-7/8 IN X 5 IN, HIGH STRENGTH,		
			MFG. TRINITY		
			NJ TURNPIKE INVENTORY # 134724		
12	126	Each	OR APPROVED EQUIVALENT	\$	\$
			RUB RAIL-BENT PLATE		
			13FT 1 IN X 6 IN X 3 IN 10 GAUGE		
	• • • •		NJ TURNPIKE INVENTORY # 134715		
13	200	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-CARR., 5/8 X 4.5, 1.5 IN MINIMUM		
			THREAD W/NUT & WASHER		
	•		NJ TURNPIKE INVENTORY # 134727		
14	300	Each	OR APPROVED EQUIVALENT	\$	\$
			POST – GUARDRAIL, PUNCHED FOR RUB		
			RAIL 6FT X 6 IN X 8.5 IN		
	400		NJ TURNPIKE INVENTORY # 134718		
15	400	Each	OR APPROVED EQUIVALENT	\$	\$
			END TREATMENT-COMP. SYSTEM, 12 GA.		
			ET PLUS (TRINITY 30ETSXT378) MFG.		
			TRINITY NJ TURNPIKE INVENTORY #		
1.0	10	г 1	134708	d d	d d
16	10	Each	OR APPROVED EQUIVALENT	\$	\$
			SHEETING, REFLECTIVE - ET PLUS MFG.		
			TRINITY PART # PN-6668B		
17	20	T71-	NJ TURNPIKE INVENTORY # 134716	d d	¢.
17	20	Each	OR APPROVED EQUIVALENT	\$	\$
			EXTRUDER HEAD-GUARDRAIL, ET PLUS		
			MFG TRINITY PART # 995A NJ TURNPIKE		
10	5	Each	INVENTORY # 134710 OR APPROVED EQUIVALENT	•	
18	3	Each	OK AFFROYED EQUIVALENT	\$	\$
			DANIEL WIDEAM 12CA 12FF CINIET DI LIC		
			PANEL-W BEAM, 12GA, 12FT 6 IN ET PLUS		
19	5	Each	(PANEL #1) MFG.TRINITY PART # 32G NJ TURNPIKE INVENTORY # 134709	\$	\$
19	3	Eacii	OR APPROVED EQUIVALENT	Φ	Φ
			ON ALL NO VED EQUIVALENT		

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF MEAS.		PRICE	DOLLAR AMOUNT
		MILAS.	BRACKET-CABLE ANCHOR, ET PLUS MFG.		AMOUNT
			TRINITY PART # 704A NJ TURNPIKE		
			INVENTORY # 134714		
20	5	Each	OR APPROVED EQUIVALENT	\$	\$
			PLATE-BEARING, GUARDRAIL, ET PLUS		
			MFG. TRINITY PART #782G		
			NJ TURNPIKE INVENTORY # 134721	\$	\$
21	5	Each	OR APPROVED EQUIVALENT		
			CABLE-3/4 X 6' 6" GUARDRAIL, ET PLUS		
			MFG. TRINITY, PART # 3000G		
22	5	Each	NJ TURNPIKE INVENTORY # 134719 OR APPROVED EQUIVALENT	\$	\$
22	3	Eacii	POST-GUARDRAIL, 6FT X 6 IN X 8.5 IN SYT	Φ	Φ
			ET PLUS MFG. TRINITY PART #14578G		
			NJ TURNPIKE INVENTORY # 134717		
23	35	Each	OR APPROVED EQUIVALENT	\$	\$
			ET HBA, P1, TOP., 2' 8-3/4" ET PLUS		
			MFG. TRINITY PART # 33871A		
			NJ TURNPIKE INVENTORY # 134712		
24	5	Each	OR APPROVED EQUIVALENT	\$	\$
			ET HBA,P1, BOTTOM, 6' 1-1/2" ET PLUS		
			MFG. TRINITY PART # 33873A		
25	5	Each	NJ TURNPIKE INVENTORY # 134711 OR APPROVED EQUIVALENT	\$	\$
23	<u> </u>	Eacii	ANCHOR, STRUCTSYT 3 IN, 6FT 6 IN, ET	Φ	Ф
			PLUS MFG. TRINTY PART# 33795G		
			NJ TURNPIKE INVENTORY # 134713	\$	\$
26	5	Each	OR APPROVED EQUIVALENT	7	
			WASHER, RND – 5/8 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 3300G		
			NJ TURNPIKE INVENTORY # 134738		
27	35	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT-HEX HEAD INSERT, 5/8 IN, GALV		
20	105	F1.	NJ TURNPIKE INVENTORY # 107640	d.	.
28	195	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-SPLICE, 5/8 IN X 1.25 IN, ET PLUS		
			MFG. TRINITY PART # 3360G		
29	165	Each	NJ TURNPIKE INVENTORY # 134726	\$	\$
			OR APPROVED EQUIVALENT	<u> </u>	<u> </u>
			BOLT- POST, W/NUT AND WASHER, 5/8 IN		
			X 10 IN, RAIL SRT-350, TRINITY PART		
•	2.5		#3500-G NJ TURNPIKE INVENTORY #		
30	30	Each	107179 OR APPROVED EQUIVALENT	\$	\$

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			WASHER, RND-3/4 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 3701G		
			NJ TURNPIKE INVENTORY # 134737		
31	10	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT, HEX – ¾ IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 3704G		
			NJ TURNPIKE INVENTORY # 134733		
32	10	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT- HEX, ¾ IN X 2.5 IN, ET PLUS		
			MFG. TRINITY PART # 3717G		
			NJ TURNPIKE INVENTORY # 134725		
33	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, RND -1 IN ET PLUS GUARDRAIL		
			MFG. TRINITY PART 3900G		
			NJ TURNPIKE INVENTORY # 134736		
34	10	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT, HEX- 1 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 3910G		
			NJ TURNPIKE INVENTORY # 134732		
35	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, RND-3/8 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 4252G		
0.1	• •		NJ TURNPIKE INVENTORY # 134740		
36	20	Each	OR APPROVED EQUIVALENT	\$	\$
			WAGHED FENDED 2/0 IN FEDILIG		
			WASHER, FENDER-3/8 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 4255G		
27	10	Each	NJ TURNPIKE INVENTORY # 134741	c	¢
37	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, LOCK-3/8 IN, ET PLUS GUARDRAIL MFG. TRINITY PART # 4258G		
			NJ TURNPIKE INVENTORY # 134742		
38	10	Each	OR APPROVED EQUIVALENT	\$	\$
30	10	Lacii	~	φ	φ
			BOLT- HEX, 3/8 IN X 1.5 IN, ET PLUS MFG. TRINITY PART # 4261G		
			NJ TURNPIKE INVENTORY # 134730		
39	10	Each	OR APPROVED EQUIVALENT	\$	\$
39	10	Lacii	WASHER,ROUND-7/16 IN, ET PLUS	φ	φ
			GUARDRAIL MFG. TRINITY PART # 4389G		
			NJ TURNPIKE INVENTORY # 134739		
40	10	Each	OR APPROVED EQUIVALENT	\$	\$
40	10	Lacii	OR ALL ROYED EQUIVALENT	Ψ	Ψ

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	DOLLAR
		MEAS.			AMOUNT
			BOLT-HEX, 7/16 IN X 1.5 IN, ET PLUS		
			MFG. TRINITY PART # 4390G		
			NJ TURNPIKE INVENTORY # 134729		
41	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, LOCK-7/16 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 4393G		
			NJ TURNPIKE INVENTORY # 134743		
42	10	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT, HEX- 7/16 IN, ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 4396G		
			NJ TURNPIKE INVENTORY # 134734		
43	10	Each	OR APPROVED EQUIVALENT	\$	\$
			WASHER, LOCK-3/4 IN, ET PLUS		
			GUARDRAIL MFG. TRINITY PART # 4699G		
			NJ TURNPIKE INVENTORY # 134744		
44	10	Each	OR APPROVED EQUIVALENT	\$	\$
			BOLT-HEX,3/8 IN X 2 IN, ET PLUS		
			MFG. TRINITY PART # 6321G		
			NJ TURNPIKE INVENTORY # 134731		
45	10	Each	OR APPROVED EQUIVALENT	\$	\$
			NUT, HEX-3/8 IN,ET PLUS GUARDRAIL		
			MFG. TRINITY PART # 6405G		
			NJ TURNPIKE INVENTORY # 134735		
46	20	Each	OR APPROVED EQUIVALENT	\$	\$

AREA "B" SOUTHERN DIVISION TOTAL OF LINES 1 THROUGH 46 \$ _____

ANY INQUIRIES CONCERNING THIS BID MUST BE SENT VIA FAX NO LATER THAN FIVE (5) BUSINESS DAYS BEFORE BID OPENING

DELIVERY DATE Discount Terms Based On Net 30 Days Only.	, to sites as specified in the bid specifications.
NEW JERSEY T	TURNPIKE AUTHORITY

Name of Company and / Authorized Signature of Bidder

AUTHORIZED SIGNATURE

SIGNATURE PAGE

ADDENDA / INQUIRIES: COMPLET		
Receipt of Addendum / Inquiries #	dated	is hereby acknowledged.
Receipt of Addendum / Inquiries #	aatea	is hereby acknowledged.
CHECK BOX IF NO ADDENDA/	INQUIRY ISSUED	
(All Addenda / Inquiries must be acknow	ledged as indicated above	ve.)
BID IRREVOCABLE: This offer shall	be irrevocable for ninet	ty (90) working days after the date on which the
• • • •		nere an unsuccessful bidder has filed a Protest
pursuant to <u>N.J.A.C.</u> 19:9-2.12. Upon no additional 90 days. All bidders will be no		Bidders are required to hold their prices for an action taken by the Authority.
OFFER/CERTIFICATION: The und	dersigned offers and as	grees to furnish to the New Jersey Turnpike
Authority the services and/or materials i	n compliance with all te	erms, conditions, specifications and addenda of
· · · · · · · · · · · · · · · · · · ·	C	dersigned further certifies understanding and nditions as stated in the Instructions to Bidders
-		at he or she executes this bid with full authority
		certification are true and correct, and made with
requested by the Authority showing evidence	-	tements contained herein and in any statements awarding the contract.
I contifue that the formacine atotaments ma	- . do bez meo ono tmvo. T ono	annual that if any of the forestein a statements
made by me are willfully false, I am subj	_	a aware that if any of the foregoing statements
	•	
AUTHORIZED SIGNATURE:		
Print Name and Title:		
Bidding Entity:		
Address:		
City, State, Zip:		
Telephone #:	Fax:	
Date:		

NEW JERSEY TURNPIKE AUTHORITY NO RESPONSE BID SURVEY

BID REQUISITION NUMBER: R-94568 AND 94601

PROPOSAL TITLE: GUIDERAILS AND PARTS

If you do not choose to respond to this Bid, please complete the form below:

Name of Company
Reason you did not respond (Check all that apply)
Cannot supply product or service
Cannot meet technical specifications
Cannot meet delivery specifications
Cannot meet legal requirements (i.e. bid/performance/security/insurance, etc.)
Cannot provide a competitive price at this time
Interested in receiving specifications for informational purposes only.
Insufficient lead time to respond
Other :(please be specific)
Do you wish to remain on our mailing list?
YesNo
Additional comments:
Signed :(optional)
Company:

number and packaging quantities of those items which the vendor proposes to substitute. Vendors may not use this form to attach conditions, limitations, or other provisos to their bid. Please be advised that any proposed equivalent or other exceptions that are deemed to be a material deviation from the specifications shall be a mandatory cause for rejection of the bid, and the vendor proceeds at its own risk **Delivery Date Exception** Warranty Date Exception_____ Vendor's Name_ Signature of Vendor Responsible Officer_____

Exception Form: Vendors may list proposed equivalent items below for consideration by the Authority, and should include the item number, item description, manufacturer's name, model

Date